



Villeroy & Boch  
1748

O.NOVO  
— Collection —

NEW OVAL  
WASHBASINS  
& O.NOVO  
TAP FITTINGS

ONE COLLECTION.  
*A whole world of design scope.*

A broad choice of forms, variants and our new tap fittings developed in house are all available for flexible and price-conscious planning. Check out what we have in store at [villeroy-boch.co.uk/bathroom-and-wellness/collections/onovo](http://villeroy-boch.co.uk/bathroom-and-wellness/collections/onovo)



*Design and functionality in perfect harmony.  
Discover the new tap fittings from Villeroy & Boch.*



## O.NOVO MOVES WITH THE TIMES

*And proves its worth every day*

PREMIERE FOR THE OVAL WASHBASINS IN A NEW DESIGN AND OUR SIGNATURE O.NOVO TAP FITTINGS COLLECTION.

With its broad choice of sizes and variants, the revised O.novo range offers a fitting solution for virtually any building project. O.novo is a perfect match for a whole range of concepts, from compact guest bathrooms to spacious bathrooms for family homes, apartment blocks, housing estates or commercial complexes. Our new oval washbasins and Handwashbasins combine to perfection with the collection's rectangular forms. O.novo comes in a great variety of sizes and installation variants to suit all types of bathroom planning. The toilets in a straight-lined D-shape or tapered droplet form broaden the scope for individual design.

We are additionally incorporating a matching Villeroy & Boch tap fittings collection into O.novo. The rounded edges of these tap fittings take up the collection's signature style and harmonise perfectly with any combination of bathroom fittings and equipment. They are attractively priced too and come with a wealth of water-saving and convenient features.

*oval*

NEW



*rectangular*





Curved designs exude a sense of calm and complement furnishings in a natural style.



There are models to suit bathrooms of all sizes



NEW FORM. AFFORDABLE PRICE  
ATTRACTIVE ALL-ROUND.

*The new oval washbasins*


THE REDESIGN OF THE OVAL WASHBASINS FEATURES A MORE EXQUISITE APPEARANCE AND EXUDES AN AIR OF ADDED LIGHTNESS.

The modern design boasts thinner rim lines and a scaled-down panel. The deep basins are practical in everyday use, while the flatter tapered drip edge continues to protect the silicone joint and to provide a hygienic connection to the wall. In addition to the classic washbasins in many different sizes, O.novo also offers compact Handwashbasins for any bathroom setting. These offer attractive alternatives and ideal options for combination with our rectangular designs.




The rectangular shape boasts clear lines and offers virtually unlimited scope for individual design options.

**SUPER-LATIVE HYGIENE**



Conventional ceramics



With CeramicPlus



with AntiBac    without AntiBac

Our optional surface finishes ensure the ultimate in hygiene. CeramicPlus facilitates cleaning, while AntiBac curbs bacterial growth throughout the product's entire useful life (see page 19).

STRAIGHT-LINED, STYLISH, O.NOVO.


*The rectangular washbasins.*

THREE SIZES, TWO INSTALLATION VARIANTS, ONE IDEA:  
GREATER DESIGN SCOPE.

Design your bathroom with the rectangular washbasins of the O.novo collection. Our wall-mounted and built-in/surface mounted washbasins offer matching solutions for virtually any room concept.







The right shape to meet your every need. Handwashbasins satisfy design requirements in small bathrooms.



Form follows function: The compact wall-mounted Handwashbasins offer the greatest possible freedom of movement, even in the tightest of spaces. The tap hole can be positioned as appropriate on the left or right.

BROAD CHOICE IN TIGHT SPACES, TOO.

*Oval and rectangular Handwashbasins.*

WELCOME DESIGN SCOPE FOR ALL GUEST BATHROOMS.

When space is tight, intelligent solutions are needed. Our oval and rectangular O.novo Handwashbasins offer suitable options for any guest bathroom. Both design variants come in various sizes and installation variants and make optimum use of the available space and every niche. The space-saving Handwashbasins can be combined with the rimless O.novo Compact washdown toilet to provide a perfect solution for small rooms.



Clear yet gentle lines take up the oval and rectangular O.novo designs.



Smart functions to ensure a pleasantly powerful jet of water in combination with an environment-friendly reduced flow rate.

THE RIGHT FIT AT THE RIGHT PRICE.

*O.novo – now as a tap fitting, too.*

A NEW TAP FITTINGS COLLECTION – IT'S A CLEAR CHOICE

Designed and developed in-house, our new tap fittings embody a seamless continuation of the collection's signature style and combine to perfection with our washbasins. The O.novo tap fittings are an ideal match for the entire collection in both its oval and rectangular variants and offer guaranteed compatibility and quality. Developed and manufactured in Germany, they boast high-quality components, a long service life and convenient, water-saving functions.





Winning combinations: the droplet-shaped toilets harmonise not only with the oval washbasins, but also with the rectangular variants.



The DirectFlush technology ensures particularly thorough and water-efficient cleaning (see page 19).



## DROPLET OR D-SHAPED?

*It's all a matter of form.*

THE RIMLESS O.NOVO TOILETS OFFER EFFICIENCY AND INNOVATION - IN EVERY VARIANT.

In classic droplet shape and modern D-shape alike, all O.novo toilets benefit from a rimless design and the water-saving DirectFlush technology. Their open fastenings allow swift and simple installation. And best of all, both models combine to perfection with round and rectangular washbasins. The droplet-shaped toilet can be fitted with any standard toilet seat. For a perfect match, we recommend the toilet seats from Villeroy & Boch.



# O.novo washbasins and toilets

## OVAL

### WASHBASIN



Wall-mounted washbasins  
 55 cm 4A40 55<sup>(1)</sup>/ 56<sup>(2)</sup>  
 60 cm 4A40 60<sup>(1)</sup>/ 61<sup>(2)</sup>  
 65 cm 4A40 65<sup>(1)</sup>/ 66<sup>(2)</sup>



Undercounter washbasins  
 53 cm 4162 50<sup>(1)</sup>  
 60 cm 4162 60<sup>(1)</sup>



Built-in washbasins  
 56 cm 4161 56<sup>(1)</sup>/ 57<sup>(2)</sup>

### HANDWASHBASIN



Wall-mounted handwashbasins  
 45 cm 4340 45<sup>(1)</sup>/ 46<sup>(2)</sup>  
 50 cm 4340 50<sup>(1)</sup>/ 51<sup>(2)</sup>



Wall-mounted handwashbasins  
 36 cm 4340 36<sup>(3)</sup>  
 36 cm 4340 37<sup>(4)</sup>  
 36 cm 4340 R5<sup>(5)</sup>  
 36 cm 4340 L6<sup>(6)</sup>



Corner wall-mounted handwashbasins  
 32 cm 7310 32<sup>(1)</sup>/ 33<sup>(2)</sup>



Corner wall-mounted handwashbasins  
 41 cm 7327 40<sup>(1)</sup>


### KEY

- <sup>(1)</sup> with overflow
  - <sup>(2)</sup> without overflow
  - <sup>(3)</sup> side tap holes pre-punched, with overflow
  - <sup>(4)</sup> side tap holes pre-punched, without overflow
  - <sup>(5)</sup> tap hole on right punched through, with overflow
  - <sup>(6)</sup> tap hole on left punched through, with overflow
  - <sup>(7)</sup> suitable for 3-hole tap fitting, central tap hole punched through, with overflow
  - <sup>(8)</sup> suitable for 3-hole tap fitting, central tap hole punched through, without overflow
  - <sup>(9)</sup> without tap hole, with overflow
  - <sup>(10)</sup> without tap hole, without overflow
- \*SC/QR - SoftClose/QuickRelease

### DROPLET-SHAPED WALL-MOUNTED TOILETS




Washdown toilet  
 DirectFlush  
 7682 R0 XX



Washdown toilet  
 Compact  
 DirectFlush  
 7667 R0 XX



COMBI-PACK  
 DirectFlush  
 Sitz SC/QR\*  
 7682 HR XX



COMBI-PACK  
 DirectFlush  
 SC/QR\* seat  
 7667 HR XX



Many ceramic products can be finished with CeramicPlus or AntiBac.

All O.novo wall-mounted toilets (except washout toilet)

# RECTANGULAR

## WASHBASIN



*Wall-mounted washbasins*  
55 cm 4A41 55<sup>(7)</sup>/ 56<sup>(8)</sup>/ 57<sup>(9)</sup>/ 58<sup>(10)</sup>  
60 cm 4A41 60<sup>(7)</sup>/ 61<sup>(8)</sup>/ 62<sup>(9)</sup>/ 63<sup>(10)</sup>  
65 cm 4A41 65<sup>(7)</sup>/ 66<sup>(8)</sup>/ 67<sup>(9)</sup>/ 68<sup>(10)</sup>



*Built-in or surface-mounted variants*  
55 cm 4A41 MG<sup>(7)</sup>/ MJ<sup>(8)</sup>/ ML<sup>(9)</sup>/ MF<sup>(10)</sup>  
60 cm 4A41 6G<sup>(7)</sup>/ 6L<sup>(8)</sup>/ 6J<sup>(9)</sup>/ 6F<sup>(10)</sup>  
65 cm 4A41 KG<sup>(7)</sup>/ KL<sup>(8)</sup>/ KJ<sup>(9)</sup>/ KF<sup>(10)</sup>

## HANDWASHBASIN



*Wall-mounted handwashbasins*  
45 cm 4344 45<sup>(7)</sup>/ 46<sup>(8)</sup>/ 47<sup>(9)</sup>/ 48<sup>(10)</sup>  
50 cm 4344 50<sup>(7)</sup>/ 51<sup>(8)</sup>/ 52<sup>(9)</sup>/ 53<sup>(10)</sup>



*Built-in or surface-mounted variants*  
45 cm 4344 4G<sup>(7)</sup>  
45 cm 4344 4L<sup>(8)</sup>  
45 cm 4344 4J<sup>(9)</sup>  
45 cm 4344 4F<sup>(10)</sup>



*Wall-mounted handwashbasins*  
50 cm 4342 R5<sup>(9)</sup>/ L5<sup>(6)</sup>/ 52<sup>(9)</sup>/ 53<sup>(10)</sup>



*Wall-mounted handwashbasins*  
36 cm 4342 36<sup>(1)</sup>/ 37<sup>(2)</sup>



*Wall-mounted handwashbasins*  
36 cm 4343 36<sup>(1)</sup>/ 37<sup>(2)</sup>

## D-SHAPED WALL-MOUNTED TOILETS



*Washdown toilet*  
DirectFlush  
5660 R0 XX




*Washdown toilet*  
Compact  
DirectFlush  
5688 R0 XX



*Washout toilet*  
5662 10 XX



*COMBI-PACK*  
DirectFlush  
SC/QR\* seat  
5660 HRXX



*COMBI-PACK*  
DirectFlush  
SC/QR\* seat  
5688 HR XX

# O.novo tap fittings

## O.NOVO

### WASHBASIN



Single-lever basin mixer  
with outlet fitting  
TVW10410111061



Tall single-lever basin mixer,  
with outlet fitting  
TVW10410511061



Single-lever basin mixer  
without outlet fitting  
TVW10410311061

### BATH & SHOWER



Concealed single-lever mixer  
TVS10435300061




Concealed single-lever  
shower mixer  
TVS10435200061




Single-lever mixer  
TVT10400100061



Single-lever shower mixer  
TVS10400100061



Bath spout  
TVT10450500061



Finishes: Chrome



Villeroy & Boch



Villeroy & Boch



Villeroy & Boch



Villeroy & Boch



Villeroy & Boch

Features of O.novo\*.

**\* AirPlus:**  
Added air for pleasant water jet strength, even at reduced flow rates to save water

**AquaSmart:**  
Environment-friendly maximum water flow rate of 5 l/min – without compromising performance

**ComfortPlus:**  
User-friendly tap heights for various surface-mounted washbasins

**EasyClean:**  
Simple cleaning and removal of limescale with a sponge or finger

**SmartPressure:**  
Constant water pressure and flow, even in case of fluctuating pressure





POWERED BY VILLEROY & BOCH EXPERTISE.

## *Technologies in O.novo.*

O.NOVO FEATURES VILLEROY & BOCH INNOVATIONS AT GREAT VALUE FOR MONEY.

Villeroy & Boch has always developed innovations that define the modern bathroom. O.novo benefits from these state-of-the-art technologies: almost all toilets are now equipped with DirectFlush to facilitate cleaning and reduce water consumption. AquaReduct is another feature that meets the need for sustainability. And the optional AntiBac and CeramicPlus surface finishes provide for enhanced hygiene and easy cleaning.

## INNOVATIVE TECHNOLOGY



**Aqua Reduct**  
Villeroy & Boch

The water-saving system makes Villeroy & Boch one of the first manufacturers to offer a 4.5-litre toilet without compromising on flushing performance. This innovation saves 1.5 litres of water per flush.



**Direct Flush**  
Villeroy & Boch


The innovative flushing technology enables fast and thorough cleaning. An efficient flush precision-cleans the entire inner bowl without splashing. And without the flushing rim of old, the toilet is particularly easy and hygienic to clean.

## OPTIONAL SURFACE FINISHES



**AntiBac**  
Villeroy & Boch

The innovative surface technology has been proven to reduce the growth of bacteria by more than 99.9%. Practical: The antibacterial properties are integrated directly in the bathroom ceramics, making it possible to significantly reduce the use of chemical cleaning agents.



**Ceramic Plus**  
Villeroy & Boch

The ceramic surface finish has a decisive advantage: Water forms beads which simply roll down the drain. The surface makes it very difficult for residue such as dirt and limescale to adhere and it is simply washed away.

**GERMANY**

Villeroy & Boch AG  
Bathroom and Wellness Division  
Hauptverwaltung  
D-66693 Mettlach

Tel. +49 (0) 68 64-81-0  
Fax +49 (0) 68 64-81-1484  
E-Mail: [information@villeroy-boch.com](mailto:information@villeroy-boch.com)

Find out more about O.novo on our website  
and stay up to date with our newsletter.



Website



Newsletter